# **Material Safety Data Sheet**



SOFT ALPET HIGH ADHESIVE (SF-7002)

# Section 1: Identification of the material and supplier

| HIGH ADHESIVE (SF-7002)   |
|---|
| AL/ PET/ HIGH ADHESIVE  |
| Used as reflective insulation and membranes in wall & Floors of residence, industrial & commercial buildings. |
| SOFTBAG KOREA CO.,LTD.  |
| 6FL, SHINGANG BLDG, 67, SEONGSUI-RO, SEONGDONG-GU,<br>SEOUL, KOREA  |
| 82 2 462 1401   |
| 82 2 462 1402   |
| 82 10 5211 5505 (Mr.kenny's phone)  |
| kenny@softbagkorea.com  |
|   |

## Section 2: Hazards Identification

- Statement of hazardous substance.

This item was classified as non-dangerous goods under relevant state &

Common wealth legislation. Risk & safety phrases are not applicable to this product.

## Section 3 : Composition / Information on ingredients

| Chemical name  | Proportion | Remark |
|----------------|------------|--------|
| Aluminium foil | 31%        |        |
| PU bond        | 5%         |        |
| PET            | 59%        |        |
| Adhesive       | 5%         |        |

| Section 4 : First aid measures |   |
|--------------------------------|---|
| Swallowed :                    | Unlikely under normal condition of use.<br>Swallowing may result in mild irritation of mouth & throat.            |
| Eyes :                         | Flush thoroughly with flowing water.  |
| Skin :                         | No skin reaction would be expected from contact with the product.   |
| Inhaled :                      | (Applies to fumes or smoke from overheating) Remove to fresh air.<br>If symptoms persist, seek medical attention. |
| Advice to doctor :             | Treat symptomatically.  |

# **Section 5 : Fire fighting measures**

| Extinguishing media        | Water, dry chemical powder, foam or carbon dioxide.   |
|----------------------------|---|
| Flammable properties       | During a fire, irritating or highly toxic gases are generated by thermal decomposition or combustion. |
| Fire fighting instructions | Wear self-contained breathing apparatus in fire extinguishing activities.                             |

## Section 6 : Handling and storage

| Handling | Avoid contact with skin or eyes.<br>Use only in the well-ventilated areas.                                  |
|----------|---|
| Storage  | Keep to the storeroom with suitable ventilation<br>Avoid a fire, direct sunlight, and getting wet in water. |

# Section 7 : Exposure controls / Personal protection

| Exposure standards :                  | Australian occupational exposure standard.<br>None applicable. |
|---------------------------------------|--|
| Engineering<br>controls/ventilation : | Not applicable.  |
| Personal protection :                 | Gloves required when heating objects in order to avoid burn.   |
| Skin protection :                     | Not required.  |
| Eye protection :                      | Not required.  |

# Section 8 : Physical and chemical properties

| Appearance :                           | Aluminium Foil covered laminate |
|--|---------------------------------|
| Odour :                                | None                            |
| pH, at stated concentration :          | Not applicable                  |
| Vapour pressure :                      | Not determined                  |
| Vapour density :                       | Not determined                  |
| Boiling point/range( $^{\circ}$ C) :   | Not determined                  |
| Freezing/melting point( $^{\circ}C$ ): | Not applicable                  |
| Solubility in water :                  | Not soluble                     |
| Solubility(Other) :                    | Not applicable                  |
| Specific gravity(H2O=1):               | Not applicable                  |
| Evaporation Rate :                     | Not applicable                  |
| Flammability limits :                  | Not applicable                  |
| Flash point :                          | Not applicable                  |

#### Section 9: Stability & Reactivity

| Chemical stability :               | Stable  |
|------------------------------------|---|
| Incompatible materials :           | None  |
| Conditions to avoid :              | Heating to over $120^{\circ}$   |
| Hazardous decomposition products : | When heated above $120$ °C, the adhesive may break down releasing chlorine & hydrogen chloride. |
| Hazardous polymerization :         | None  |

#### Section 10: Disposal considerations

| Ecotoxicity :                   | No known reports of ecotoxicity.  |
|---------------------------------|---|
| Persistence and Degradability : | Product would be expected to be of low bio-degradability and persistent in the environment. |
| Mobility :                      | Low mobility in landfill situation.   |

#### Section 11 : Transport information

| UN class and number     |              |
|-------------------------|--------------|
| UN number               | Not Applied. |
| UN proper shipping name | Not Applied. |
| Transport hazard class  | Not Applied. |
| Packing group           | Not Applied. |
| Environmental hazards   | Not Applied. |

## Section 12: Regulatory information

Observe the law or regulation of your country about this material.

## **Section 13 : Other information**

Australian Standards References :

| AS/NZS 1336 | Recommended practices for occupational eye protection.            |
|-------------|---|
| AS/NZS 1715 | Selection, use and maintenance of respiratory protective Devices. |
| AS/NZS 1716 | Respiratory protective Devices.                                   |
| AS/NZS 2161 | Occupational protective gloves.                                   |

This MSDS was correct at the time it was prepared (see below for the date). The supplier, as part of its Health and Safety programme, updates MSDS's when its ongoing review process indicates a need for a change to be made. You should make sure that the MSDS you are reading and relying on is current you can do this by contacting the supplier at the above address.

Issue Date : January, 2016